




S.NO.	COLUMN MARK	COLUMN SIZE	MAIN REBARS	TIES	TIES SHAPE
1	C	2'0"X2'0"	<div><p>• 16 NOS BAR 20 MM Ø</p></div>	10MM @ 5"C/C	<div></div>

## COLUMN SCHEDULE



**Consultants / Architects Details:**

**Architect: Manara Architects**  
Head Office: Greater Kailash – II, New Delhi  
Branch Office: Mahatmaji, Uttar Pradesh  
Email: [info@manaraarchitects.com](mailto:info@manaraarchitects.com)  
COA Registration No.: CA/2024/177361  
Website: [www.manaraarchitects.com](http://www.manaraarchitects.com)

**Project Information:**

Project Name: RGCP Main Entrance Gate  
Project Type: Institutional  
Client Name: Ajeet Mann Timpali  
S/O, W/o D/o:  
Site / Plot Address: Nauranwa  
Contact No.: +91-9451083886

**Drawing Information:**

Drawing Title: Entrance Gate – Plan  
Drawing Number: MA-ARC-3001  
Scale: (1:100)  
Sheet Size: A4  
Page / Sheet No.: 3 Of 1  
Date of Issue: 13-08-2025

**Services:**

Architectural Design  
Structural Design  
Landscape Design  
3D Visualization  
Working Drawings  
Approval Drawings

Healthcare Architecture  
Vastu Consulting  
3D Interior & Exterior Design  
Site Visits & Supervision  
Layout Planning & Valuation  
Estimating & Costing

**Credits & Approval**

Design by: E.C.Nadim Ahmad  
Drawn by: E.C.Nadim Ahmad  
Checked by: A.A.Azeem Khan  
Approved by: A.A.Azeem Khan  
Date: 13/08/2025  
Purpose of Issue: For Construction

**General Structural Notes:**

Reinforced Concrete Work – as per IS 456:2000.  
Structural Steel Work – as per IS 800:2007.  
Design Loads – as per IS 875 (Part 1 to 5).  
Earthquake Resistant Design – as per IS 1893 (Part 1):2016.  
Electrical Wiring – as per IS 732:2019.  
Plumbing / Water Supply – as per IS 1172:1993.

**Certifications & Registrations:**

MSME : UDYAM-UP-51-0029259  
Avas Bandhu: AM3097830/07052024  
UPDPBPAS : AM3097830/07052024  
R.A.Nauranwa : 03/16-R.A.N.  
IEI : AM3097830  
COA :CA/2024/177361